

Downlighter Range

Our complete selection of shallow recess downlighters ranging from 130 to 900 delivered lumens

Data sheet

LD40

Miniature undershelf downlight



Light output: 120lm
Recess: 22mm
Diameter: Ø36mm
IP rating: IP67

LD72

Miniature fixed low glare downlight



Light output: 195Im
Recess: 40mm
Diameter: Ø38mm
IP rating: IP40/IP54

LD71

Miniature adjustable low glare downlight



Light output: 195Im
Recess: 42mm
Diameter: Ø54mm
IP rating: IP40/IP54

LD74SR-OP

Triple LED with opal diffuser and 175deg wash



Light output: 171Im
Recess: 40mm
Diameter: Ø49mm
IP rating: IP54

LD74SR

Triple LED ultra shallow fixed downlight



Light output: 357Im
Recess: 40mm
Diameter: Ø49mm
IP rating: IP54

LD73SR

Triple LED ultra shallow adjustable downlight



Light output: 357Im
Recess: 52mm
Diameter: Ø61mm
IP rating: IP54

LD1081

Very shallow high output fixed downlight



 Light output:
 901Im

 Recess:
 50mm

 Diameter:
 Ø75mm

 IP rating:
 IP40/IP65

LD1080

Low glare high output fixed downlight



Light output: 901lm
Recess: 70mm
Diameter: Ø75mm
IP rating: IP40/IP65

LD1090

Low glare high output adjustable downlight



Light output: 901lm
Recess: 70mm
Diameter: Ø75mm
IP rating: IP40/IP65

LD1082

Low glare high output fixed downlight



 Light output
 901Im

 Recess:
 70mm

 Diameter:
 Ø75mm

 IP rating:
 IP40/IP65

LD1092

Low glare high output fixed downlight



LD1083

Exterior rated high output fixed downlight



Light output: 901Im
Recess: 70mm
Diameter: Ø75mm
IP rating: IP67

LD1210

Exterior rated high output fixed downlight



Light output: 924lm
Recess: 93mm
Diameter: Ø99mm
IP rating: IP67

LD1220

Exterior rated high output adjustable downlight



Light output: 924lm
Recess: 110mm
Diameter: Ø99mm
IP rating: IP67

